

Receiving Report

Date: 12/03/1

Batch No: M61921

Supplier: METALUX 0076

Dart P/O: 16991

Packing Slip: Yes No
 Invoice: Yes No
 Receipt: Cash Cr

Release Note Attached: Yes No N/A
 Waybill Attached: Yes No N/A
 Shipment Complete: Yes No N/A
 QC6 Inspection 12/03/1 Yes No N/A
 Work Order N/A

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
<u>2106m</u>	<u>B0</u>					

Initials of receiver (if shipment OK) Level 12

Production/Admin:

Date 12/03/1

Received/Costing:

Initial ppf31

Location

Purchase Order Receipt Listing

Thursday, May 31, 2012 9:17:41 AM

Page 1 of 1

All amounts are calculated in domestic currency.

All Vendors PO ID PO16991 Receipt Dates from 5/31/2012 to 5/31/2012 All Line Item Types
All Item ID/GL\WOs All Rec. Employees All Currencies
Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp	Project ID Req	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Vendor Name											
PO16991 CAD	1 No	VC-MET001	Metaux Castle	M303B1.000X2.000 f 303 BAR 1" X 2" f	5/31/2012 12.0000	5/31/2012 DESI02	11.6667 \$818.01	\$70.12 0.0000	0 0	0 0	\$818.01
	2 No			M303B2.000X1.750 f 303 BAR 2" X 1.750" f f	5/31/2012 24.0000	5/31/2012 DESI02	23.1667 \$2,233.08	\$96.39 0.0000	0 0	0 0	\$2,233.08

Total Received Quantity:

Total Qty to Inspect (PO U/M):

Total Reject Quantity:

Total Receipt Value:

Total Balance Due Quantity:
1.1666

34.8334

0.0000

0.0000

\$3,051.09

1.1666



A. M. Castle & Co.

120-531

BORDEREAU DE MARCHANDISES

Page 1 of 1

No de Formulaire d'Emballage / Shipment No: 1329904

Expédié de / Ship From:	Vendu à / Sold To:		
A. M. Castle & Co. (Canada) Inc. MONTREAL 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		
Date d'expédition / Date Shipped	F.O.B.	Modalités de transport / Freight Terms	Transporteur / Carrier
29-MAY-2012	ORIGIN	Prepaid	MANITOULIN

Détails d'expédition / Shipment Details

Destination finale / Final Destination Branch - MON

N° de commande / Order No	N° de ligne Line No	N° d'article / Item No	Description
2202869	2	66090.B0	1.7500.2.0000:FLAT.303.STAINLESS.144.0000 SPECIFICATIONS: ASTM A582
N° de bon de commande / Purchase Order No	Nbre de pièces / Part Number	Qté commandée / Ordered Qty	
16991		285.60 LBS	23.1667 FT
N° de livraison / Delivery No :	Usine / Mill	No de coulée / Heat Number	Code méc / Mech Id
117655368		A11817	2.0
Pièce / PCS	Largeur (Pouce) / Width (IN)	Longueur (Pouce) / Length (IN)	Qté expédiée / Shipped Qty(LBS)
		139	276

Ces marchandises/technologies sont sujettes aux règlements de l'Export Administration et du département d'état des États-Unis. Si elles ont été/sont exportées, elles doivent se conformer à ces règlements. Toute modification du contrat de transport contraires aux lois des États-Unis est interdite.

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, where/are exported thereunder. Diversion contrary to US Law is Prohibited.

Nous certifions par la présente que le matériel couvert par cette certification est conforme aux spécifications susmentionnées et aux exigences applicables pour le matériel, y compris toute spécification faisant partie de la description. Les rapports d'essai sont archivés pour fins de consultation. Toute requête concernant du matériel défectueux sera rejetée à moins qu'elle ne soit faite par écrit à A. M. Castle & Co. dans les 60 jours suivant la livraison. Le matériel coupé sur mesure ou coupé par le client ne peut être renvoyé pour crédit.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Ce matériel a été reçu et inspecté par
Reviewed by Authorized Castle Metals Representative:

Date:	Name:
-------	-------



12/05/13
A. M. Castle & Co.

BORDEREAU DE MARCHANDISES

Page 1 of 1

No de Formulaire d'Emballage / Shipment No:1329904

Expédié de / Ship From:		Vendu à / Sold To:		Expédié à / Ship To:	Livré à / Deliver To:
A. M. Castle & Co. (Canada) Inc. MONTREAL 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON
Date d'expédition / Date Shipped	F.O.B.	Modalités de transport / Freight Terms	Transporteur / Carrier	No du Bon de connaissance / BOL No	
29-MAY-2012	ORIGIN	Prepaid	MANITOULIN	1329904-2	

Détails d'expédition / Shipment Details		Destination finale / Final Destination Branch - MON			
N° de commande / Order No	N° de ligne Line No	N° d'article / Item No	Description		
2202869	1	59656.B0	1.0000.2.0000.FLAT.303.STAINLESS.CF.132.0000-156.0000		
N° de bon de commande / Purchase Order No	Nbre de pièces / Part Number		Qté commandée / Ordered Qty	Qté Facturée / Invoice Qty	11.6667 FT
16991			82.37 LBS		1329904-2
Détails / Details	ASTM A582				
N° de livraison / Delivery No :	Usine / Mill	No de coulée / Heat Number	Code méc / Mech Id	Pièce s / PCS	Longueur (Pouce)/ Length (IN)
117655368		A11732		1.0	140
Ces marchandises/technologies sont sujettes aux règlements de l'Export Administration et du département d'état des Etats-Unis. Si elles ont été/exportées, elles doivent se conformer à ces règlements. Toute modification du contrat de transport contraires aux lois des Etats-Unis est interdite.					
These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/exported thereunder. Diversion contrary to US Law is prohibited.					
Nous certifions par la présente que le matériel couvert par cette certification est conforme aux spécifications susmentionnées et aux exigences applicables pour les matériaux y compris toute spécification faisant partie de la description. Les rapports d'essai sont archivés pour fins de consultation. Toute requête concernant du matériel défectueux sera rejetée à moins qu'elle ne soit faite par écrit à A. M. Castle & Co. dans les 60 jours suivant la livraison. Le matériel coupé par le client ne peut être retourné pour crédit.					
We hereby certify that the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.					
Ce matériel a été reçu et inspecté par Reviewed by Authorized Castle Metals Representative:					
Date: Name:					



575 STATE FAIR BLVD.
SOLVAY, NY 13209

I Item 59656.Bo Po 15580 11

Certificate of Test

S O FRY STEEL COMPANY
L 13325 MOLETTE ST
D SANTA FE SPRINGS, CA 90670

S H FRY STEEL COMPANY
I 13325 MOLETTE ST
P SANTA FE SPRINGS, CA 90670

OUR ORDER NO.
P5-23118-1-01

T O
CUSTOMER ORDER NO
46642-17/S29060

T O
CUSTOMER REQ NO

DISTRICT
L HINMAN

DATE
11/15/11

DESCRIPTION OF MATERIAL

CRU 303 PLUS HRAP
MIL-S-7720 AMEND 1 QQS-763C COND A ASTM-A484-11 QQS-764B COND A
(OBSOLETE) ASTM-A582-05 AMS-5640U TYPE 1 (EX FIN)

HEAT NO.

A11732	C	MN	P	S	SI	NI	CR	MO	CU
	.054	1.65	.033	.190	.60	9.17	17.41	.38	.59

QUANTITY HEAT NO.

3553 # A11732	TENSILE PSI 85,060	YLD.2%PSI 41,530	ELONG4D 61.1	RED/AREA# 68.7	HARDNESS BHN 153/ 165
2 BDLS 1-1786# 2-1767#					

MACRO TEST OK

CHEMICAL ANALYSIS

MECHANICAL PROPERTIES

*Onf
12/05/31*

Castle Metals Mon

HEAT NUMBER A 11732
MECHANICAL ID
ITEM CODE 59656.Bo
LOT NUMBER M 102678
PO NUMBER 15580
RECEIPT DATE 5-29-12
SUPPLIER Fry steel
SPECIFICATION ASTM A582
LCS
COMMENT
APPROVED g3

FRY STEEL CO. CERTIFIES THAT THIS IS
A TRUE COPY OF THE ORIGINAL MILL TEST
REPORT NOW ON FILE
RECEIVED AND INSPECTED

NOV 18 2011

BY Chip Sandoval
CHIP SANDOVAL - Q.C. MANAGER

THANK YOU FOR SELECTING A QUALITY PRODUCT MELTED AND MANUFACTURED WITH PRIDE AT CRUCIBLE INDUSTRIES LLC LOCATED IN SOLVAY, NY 13209, USA. WE PROVIDE MATERIAL THAT IS FREE FROM MERCURY-CONTAMINATION AND RADIATION AT THE TIME OF SHIPMENT. NO WELD REPAIR IS DONE. CRUCIBLE INDUSTRIES LLC HOLDS A CERTIFICATE OF REGISTRATION TO ISO 9001:2008. PRESSURE EQUIPMENT DIRECTIVE (PED) 97/23/EC 7/2 ANNEX 1. PARAGRAPH 4.3 AND WORKS UNDER THE GUIDELINES OF NCA 3800 USING QP MANUAL DATED 3/10/11. WE ARE COMPLIANT WITH EU DIRECTIVE 2002/95/EC (ROHS), REACH, EN 10204 2004 3 1, AND DFARS 252-225.7014 ALT1& 225.7001, 7002 - 3 (b) (1) MATERIAL IS OF NAFTA ORIGIN. MATERIAL TESTING IS PERFORMED ON A PROLONGATION OF THE BAR. IN COMPLIANCE WITH INDUSTRY STANDARDS ASTM A370;E8,E10,E18,E23,E45,E112,E381,E604,E572,E1019, AND E1086. THE RECORDING OF FALSE, FICTITIOUS OR FRAUDULENT STATEMENTS ON THIS DOCUMENT MAY BE PUNISHED AS A FELONY UNDER FEDERAL STATUTES, INCLUDING FEDERAL LAW, TITLE 18, CHAPTER 47 PRODUCTS, TECHNICAL DATA, TECHNOLOGY, AND SERVICES OF CRUCIBLE INDUSTRIES LLC ARE SUBJECT TO U.S. EXPORT CONTROLS UNDER THE APPLICABLE LAWS AND REGULATIONS OF THE UNITED STATES.

THE ABOVE MATERIAL WAS MANUFACTURED AND TESTED ACCORDING WITH ABOVE SPECIFICATIONS AND IS IN CONFORMANCE WITH THE SPECIFICATION REQUIREMENTS.
CRUCIBLE INDUSTRIES LLC

CERTIFIED BY

William P. Mastroe
WILLIAM MASTROE - MANAGER QUALITY CONTROL & LABS



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO16991**

Purchase Order Date 5/16/12

PO Print Date 5/16/12

Page Number 2 of 2

Order From : VC-MET001

METAUX CASTLE
A.M. CASTLE & CO. (CANADA) INC. - BOX B9204 PO BOX 9100
TORONTO, ON M4Y 3A5
CA

Contact Name

Vendor Phone 514 694 9575

Vendor Fax 514 695 3281

Vendor Account N^o 7

Buyer Chantal Lavoie

Requisition Nbr

Tax Resale Nbr 10127-2607

Terms Net 30

Currency CAD

FOB Destination-Collect

4	M304B0.250x0.500	304 BAR .250 x .500	5/25/12 Yes	500.00 f	Yours ppd	\$2.4300	\$1,215.00
---	------------------	---------------------	----------------	-------------	-----------	----------	------------

Special Inst: AISI 304/316 SS BAR OR AISI 304/316 SS
PLATE
PER ASTM A276 OR ASTM A240
NOTE:(303 NOT ACCEPTABLE)

5	M304B1.000X1.000	304 bar 1.00 x 1.00	5/31/12 Yes	12.00 f	Yours ppd	\$25.6100	\$307.32
---	------------------	---------------------	----------------	------------	-----------	-----------	----------

Special Inst: AISI 304/316 SS BAR OR AISI 304/316 SS
PLATE
PER ASTM A276 OR ASTM A240
NOTE:(303 NOT ACCEPTABLE)

PO Total: \$4,996.80

MATERIAL CERTIFICATION

REQ'D UPON DELIVERY

Change Nbr: 1

Change Date: 5/16/12

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable